

CRAFTSMART MOSAIC ADHESIVE

Material Safety Data Sheet

1. Identification of Material and Supplier

Product Name: CRAFTSMART MOSAIC ADHESIVE

Recommended Use: Securing a range of floor coverings and mosaics

Supplier: CSA Trading Pty Ltd

ABN: 86 124 105 004

Street Address: 21-23 Joseph St
Blackburn North
Victoria, 3130
Australia

Telephone Number: +61 3 9895 4333
Facsimile: +61 3 9899 4519

Emergency Telephone: (24 HOURS)

Contact Poison Information Centre: 13 11 26 (Australia) 0800 764 766 (New Zealand)

2. Hazards Identification

Hazard Classification: Not classified as hazardous.
Not classified as hazardous according to NOHSC (National Occupational Health & Safety Commission)

3. Composition/Information on Ingredients

Chemical Characterization: Liquid
Information on Composition: Modified acrylic co-polymer emulsion

Ingredients:	Name	CAS	Proportion	Hazard Symbol	Risk Phrase
	Non hazardous ingredients	Proprietary	90-100%		

4. First-Aid Measures

For advice, contact a Poisons Information Centre (Phone: Australia 13 11 26; New Zealand 0800 764766) or a doctor.

Inhalation: Remove patient to fresh air. Recovery should be rapid after removal from exposure. Seek medical advice if symptoms persist.

Skin: Wash affected area(s) with copious quantities of water immediately. Remove contaminated clothing and wash before re-use. Seek medical attention if skin irritation occurs.

CRAFTSMART MOSAIC ADHESIVE

Material Safety Data Sheet

- Eye Contact:** Immediately irrigate with copious quantity of water for at least 15 minutes whilst holding eyelids open. Seek medical advice if effects persist.
- Ingestion:** Do not induce vomiting. Rinse mouth thoroughly with water immediately. Give plenty of water to drink. Seek immediate medical assistance.
- Note to physician:** Treat symptomatically.

5. Fire-Fighting Measures

- Hazards from Combustion:** Product residue, following evaporation of liquid content will burn in the presence of an ignition source.
- Products Specific Methods:** Use CO₂, dry chemical or foam. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of decomposition.
- Specific Hazards:** Low hazards

6. Accidental Release Measures

- Spills & Disposal:** Contain & prevent contamination of drains and waterways. Use absorbent (soil or sand, sawdust, inert material, vermiculite). Clean up using a shovel. Dispose of in normal industrial waste bin.

7. Handling and Storage

- Conditions for safe storage:** Store in a dry, cool environment. No special precautions required. Store in original containers. Ensure containers are clearly labelled. Transport in original containers.

8. Exposure Controls / Personal Protection

- Other Exposure Information:** Product contains small quantities of acrylate-monomers which may cause some discomfort in confined spaces or other poorly-ventilated areas during handling and use.
- Engineering Controls:** Use with adequate ventilation. Local exhaust ventilation system may be required.
- Body Protection:** Wearing of the following personal protective equipment may be advisable. Overalls or similar protective apparel. Chemically resistant gloves. Boots. Always work in a well-ventilated area. Avoid skin and eye contact.

CRAFTSMART MOSAIC ADHESIVE

Material Safety Data Sheet

9. Physical and chemical properties

Form:	Liquid
Appearance:	Cream coloured viscous liquid
pH Value:	approx. 8.0
Boiling Point (°C):	Initial Boiling Point: approx. 100°C
Melting Point (°C):	Not applicable
Solubility in water (g/L):	Miscible
Specific Gravity:	approx. 1.25
Colour:	Cream
Flammability:	Non flammable. Product residue, following evaporation of liquid content will burn in the presence of an ignition source.
Vapour Pressure:	Not available
Physical State:	Viscous Liquid
Viscosity:	Approx 60,000 cps
Auto Ignition Temperature:	Not applicable
Flammable Limits – Lower:	Not applicable
Flammable Limits – Upper:	Not applicable
Other Information:	VOC (Volatile Organic Compound) content: <50 grams/litre

10. Stability and Reactivity

Stability and Reactivity: Stable under normal handling and storage conditions.

11. Toxicological Information

Inhalation:	Practically non harmful by inhalation. Possible allergic reactions. May cause irritation to the nose and throat. Not normally an inhalation risk due to low vapour pressure at ambient temperatures.
Ingestion:	Practically non harmful. May cause gastric irritation.
Skin:	Repeated or prolonged skin contact may lead to irritation
Eye:	A mild eye irritant. May cause watering of eyes.
Chronic Effects:	Not applicable

12. Ecological Information

Avoid contaminating waterways.

13. Disposal Considerations

Dispose of in accordance with local regulations.

14. Transport Information

CRAFTSMART MOSAIC ADHESIVE

Material Safety Data Sheet

NOT classified as a Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG) for transport by Road and Rail.

15. Regulatory Information

Poisons Schedule: Not scheduled

16. Other Information

Contact Point: CSA Trading Pty Ltd

Phone: +61 3 9895 4333 (International)

Fax: +61 3 9899 4519 (International)

After Hours: Poisons Information Centre : 13 11 26 (Australia) 0800 764 766 (New Zealand)

The information and recommendations set down here in this document are presented in good faith and to the best of CSA Trading's knowledge. CSA Trading Pty Ltd cannot predict or control all conditions of use or handling of this product and each user must review this document in the context of the conditions under which they intend to handle and use this product. It is the responsibility of the user to ensure a proper assessment has been carried out. No representations or warranties, either expressed or implied, or merchantability, fitness for purpose or any other nature are made hereunder with respect to the product to which this information refers.