

CRAFTSMART DECOUPAGE GLUE

Safety Data Sheet

1. Identification

GHS Product Identifier	CRAFTSMART DECOUPAGE GLUE
Company Name	CSA Trading Pty Ltd
Address	21-23 Joseph Street Blackburn North Victoria, 3130 Australia
Telephone/Fax Number	Phone: +61 3 9895 4333 Fax: +61 3 9899 4519
Emergency Phone Number	24 hours
Contact Poison Information Centre:	13 11 26 (Australia) 0800 764 766 (New Zealand)
Recommended use of the chemical and restrictions on use	CraftSmart Decoupage Glue is perfect for collage and decoupage. All in one sealer, glue and finish.
Other Information	This SDS summarises to the best of our knowledge the health and safety hazard information of the product and how to safely handle and use the product in the workplace.

2. Hazards Identification

GHS Classification of the substance/mixture	NON HAZARDOUS SUBSTANCE. NON DANGEROUS GOODS Based on available information: not classified as hazardous according to the health criteria of NOHSC Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail. The product is not classified according to the Globally Harmonised System (GHS). Signal Word Void Hazard Statements Void
--	---

3. Composition/Information on Ingredients

Chemical Characterization	Mixtures
Description	This mixture does not contain any notifiable substances.
Hazardous Components	Void

4. First-Aid Measures

For advice, contact a Poisons Information Centre (Phone: Australia 13 11 26; New Zealand 0800 764 766) or consult a physician.

Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.
Skin Contact:	In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.
Eye Contact:	In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

CRAFTSMART DECOUPAGE GLUE

Safety Data Sheet

Ingestion:	If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious person. Seek immediate medical attention.
Symptoms Caused by Exposure	Inhalation: May cause respiratory irritation, drowsiness, dizziness, headache, nausea and fatigue. Skin Contact: May cause skin irritation, redness or rash. Eye Contact: May cause eye irritation, stinging, tearing, redness, swelling and blurred vision. Ingestion: May cause gastrointestinal irritation, abdominal pain, nausea and vomiting.

5. Fire-Fighting Measures

Fire Fighting Measures	Suitable Extinguishing Media: Water spray, foam, dry chemical or carbon dioxide. Specific Hazards Arising from the Chemical: Hazardous combustion products include oxides of carbon and nitrogen. Product is non-flammable. Special Protective Equipment and Precautions for Fire Fighters: When fighting a major fire wear self-contained breathing apparatus and protective equipment.
-------------------------------	---

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures	Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.
Environmental Precautions	In the event of a major spill, prevent spillage from entering drains or water courses.
Methods and Materials for Containment and Cleaning Up	Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7. Handling and Storage

Precautions for Safe Handling	Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight and extreme temperatures. Protect from freezing. Protect containers from physical damage. Keep away from strong oxidising agents and strong acids.

8. Exposure Controls / Personal Protection

Exposure Standards	Name	STEL		TWA	
		<u>mg/m3</u>	<u>ppm</u>	<u>mg/m3</u>	<u>ppm</u>
108-05-4	Vinyl Acetate	70	20	35	10

CRAFTSMART DECOUPAGE GLUE

Safety Data Sheet

Appropriate Engineering Controls	Maintain air concentration below occupational exposure standards, providing adequate ventilation.
Respiratory Protection	Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.
Skin Protection	Impervious gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered. Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.
Eye and Face Protection	Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9. Physical and chemical properties

Appearance:	
Form:	Liquid
Colour:	Opaque milky white
Odour:	Faint acetic odour
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/Melting range:	No information available
Initial Boiling Point/Boiling Range:	~100 °C
Flash Point:	Not applicable
Flammability:	Product is not flammable.
Auto-ignition Temperature:	Not applicable
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	No information available
Relative Density:	~1.1
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Completely miscible
Partition Coefficient (n-octanol/water):	No information available

10. Stability and Reactivity

Possibility of hazardous reactions	Hazardous polymerisation will not occur. Possible hazardous reaction with strong oxidising agents and strong acids.
Chemical Stability	Stable at ambient temperature and under normal conditions of use.
Conditions to Avoid	Extreme temperatures and direct sunlight.

CRAFTSMART DECOUPAGE GLUE

Safety Data Sheet

Incompatible Materials Strong oxidising agents and strong acids.

Hazardous Decomposition Products Oxides of carbon and nitrogen.

11. Toxicological Information

Toxicity:

LD ₅₀ /LC ₅₀ Values Relevant for Classification:		
108-05-4 Vinyl acetate		
Oral	LD ₅₀	2920 mg/kg (rat)
Dermal	LD ₅₀	2335 mg/kg (rabbit)

Acute Health Effects:

Inhalation May cause respiratory irritation, drowsiness, dizziness, headache, nausea and fatigue.

Skin contact May cause skin irritation, redness or rash.

Eye contact May cause eye irritation, stinging, tearing, redness, swelling and blurred vision.

Ingestion May cause gastrointestinal irritation, abdominal pain, nausea and vomiting.

Skin Corrosion / Irritation Based on classification principles, the classification criteria are not met.

Eye Damage / Irritation Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity Based on classification principles, the classification criteria are not met.

Carcinogenicity: Vinyl acetate is classified by IARC as Group 2B - Possibly carcinogenic to humans.

Reproductive Toxicity Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure Based on classification principles, the classification criteria are not met.

Aspiration Hazard Based on classification principles, the classification criteria are not met.

Chronic Effects Prolonged skin contact may cause dermatitis.

Existing Conditions Aggravated by Exposure Exposure may aggravate existing dermatitis and skin sensitivity.

CRAFTSMART DECOUPAGE GLUE

Safety Data Sheet

12. Ecological Information

Ecotoxicity	No information available
Aquatic toxicity	No information available
Persistence and Degradability	No information available
Bioaccumulative Potential	No information available
Mobility in Soil	No information available
Other adverse effects	No information available

13. Disposal Considerations

Disposal Methods and Containers	Dispose according to applicable local and state government regulations.
Special Precautions for Landfill or Incineration	Please consult your state Land Waste Management Authority for more information.

14. Transport Information

UN number	Not regulated
Proper shipping name	Not regulated
Dangerous Goods Class	Not regulated
Packing Group	Not regulated

15. Regulatory Information

Australian Inventory of Chemical Substances:
108-05-4 Vinyl acetate

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:
Not Scheduled.

16. Other Information

Date of preparation or last revision of SDS	17/10/16
Contact Person/Point	CSA Trading Pty Ltd Phone: +61 3 9895 4333 (International) Fax: +61 3 9899 4519 (International) Poisons Information Centre 13 11 26 (Australia) 0800 764 766 (New Zealand)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service (division of the American Chemical Society) LC₅₀: Lethal concentration, 50 percent
LD₅₀: Lethal dose, 50 percent
IARC: International Agency for Research on Cancer
STEL: Short Term Exposure Limit
TWA: Time Weighted Average
NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

The information and recommendations set down here in this document are presented in good faith and to the best of CSA Trading's knowledge. CSA Trading Pty Ltd cannot predict or control all conditions of use or handling of

CRAFTSMART DECOUPAGE GLUE

Safety Data Sheet

this product and each user must review this document in the context of the conditions under which they intend to handle and use this product. It is the responsibility of the user to ensure a proper assessment has been carried out. No representations or warranties, either expressed or implied, or merchantability, fitness for purpose or any other nature are made hereunder with respect to the product to which this information refers.