

# CRAFTSMART ULTRA GLUE

## Safety Data Sheet

### 1. Identification

<b>GHS Product Identifier</b>	<b>CRAFTSMART ULTRA GLUE</b>
<b>Company Name</b>	CSA Trading Pty Ltd
<b>Address</b>	21-23 Joseph Street Blackburn North Victoria, 3130 Australia
<b>Telephone/Fax Number</b>	Phone: +61 3 9895 4333 Fax: +61 3 9899 4519
<b>Emergency Phone Number</b>	24 hours
<b>Contact Poison Information Centre:</b>	13 11 26 (Australia) 0800 764 766 (New Zealand)
<b>Recommended use of the chemical and restrictions on use</b>	A high viscosity, high-build PVA used in art and craft applications.
<b>Other Information</b>	This SDS summarises to the best of our knowledge the health and safety hazard information of the product and how to safely handle and use the product in the workplace.

### 2. Hazards Identification

<b>GHS Classification of the substance/mixture</b>	NON HAZARDOUS SUBSTANCE. NON DANGEROUS GOODS Based on available information: not classified as hazardous according to the health criteria of NOHSC Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail. Poisons Schedule (Aust): Not listed
--	---

### 3. Composition/Information on Ingredients

<b>Composition, information on ingredients</b>	Materials deemed to be non-hazardous consist of a blend of emulsion polymer, filler, tackifier, water.  NON HAZARDOUS SUBSTANCE. NON DANGEROUS GOODS. Based on available information: not classified as hazardous according to the health criteria of NOHSC Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail. Poisons Schedule (Aust): Not listed  Labelling according to GHS & Regulation (EC) No 1272/2008  GHS Label Elements None Signal Words: None  [Prevention]: No GHS prevention statements [Response]: No GHS response statements [Storage]: No GHS storage statements [Disposal]:
--	---

# CRAFTSMART ULTRA GLUE

## Safety Data Sheet

<b>Chemical Characterization Ingredients</b>	No GHS disposal statements		
	Liquid		
	<b><u>Name</u></b>	<b><u>CAS</u></b>	<b><u>Proportion</u></b>
	Non-hazardous ingredients	Proprietary	0-100%

### 4. First-Aid Measures

For advice, contact a Poisons Information Centre (Phone: Australia 13 11 26; New Zealand 0800 764 766) or consult a physician.

<b>Inhalation:</b>	Remove patient to fresh air. Allow patient to rest in a comfortable position until recovered. Seek medical advice if symptoms persist.
<b>Ingestion:</b>	Rinse mouth thoroughly with water. If swallowed DO NOT induce vomiting. Give water to drink. Seek medical advice.
<b>Skin:</b>	If skin contact occurs, remove contaminated clothing and wash skin with soap and water. If irritation occurs seek medical advice.
<b>Eye Contact:</b>	Hold eyelids open and immediately flush eyes continuously with running water for 15 minutes. As a precaution, in all cases of eye contamination seek medical advice.

### 5. Fire-Fighting Measures

<b>Fire Fighting Measures</b>	Suitable Extinguishing Media: Water fog, fine water spray, foam, dry agent (CO <sub>2</sub> , dry chemical powder).
	Hazards from Combustion: Not combustible, however following evaporation of the water component of the material, the residual material can burn if ignited. On burning will emit toxic fumes, including those of oxides of carbon.
	Precautions for Fire-fighters: Not combustible aqueous product. However after water loss, residual material can burn if ignited. On burning may emit toxic fumes.
	Fire-fighting equipment: Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.
	Hazchem Code: Not Applicable.

### 6. Accidental Release Measures

<b>Emergency Procedures</b>	<b>SMALL SPILLS</b> Slippery when wet. Avoid accidents, clean up immediately. Wipe up with dry rags or absorbent paper. Wear protective gloves and avoid eye contamination. Collect and seal in labelled containers for disposal.
	<b>LARGE SPILLS</b> Slippery when wet. Wear protective equipment to prevent skin and eye contamination. Avoid accidents, clean up immediately. Contain - prevent run off

# CRAFTSMART ULTRA GLUE

## Safety Data Sheet

into drains and waterways. Use absorbent (sawdust, vermiculite, dry sand, earth, other inert material). Collect and seal in properly labelled containers for disposal and follow state or local authority regulations for disposal of the waste. Wash area down with excess water.

Emergency procedures:  
If contamination of sewers or waterways has occurred advise local emergency services.

### 7. Handling and Storage

<b>Precautions for Safe Handling</b>	Avoid eye contact and repeated or prolonged skin contact.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in cool place and out of direct sunlight. Store away from incompatible materials described in Section 10. Protect from freezing. Keep containers closed when not in use - check regularly for leaks.

### 8. Exposure Controls / Personal Protection

<b>Exposure Controls, Personal Protection</b>	Occupational Exposure Limits: No value is assigned for this specific material by the National Occupational Health & Safety Commission (NOHSC Australia).
---	---

#### Control Parameters

##### Exposure

CAS NO.	Ingredient	Source	Value
Proprietary	Vinyl Acetate	OSHA	No Established Limit
	polymer emulsion	ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

##### Carcinogen Data

CAS NO.	Ingredient	Source	Value
Proprietary	Vinyl Acetate	OSHA	Select Carcinogen: No
	polymer emulsion	NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

#### Exposure Controls

<b>Respiratory</b>	If workers are exposed to concentrations above the exposure limit they must use the appropriate certified respirators.
--------------------	--

<b>Eyes</b>	Safety Glasses recommended.
-------------	-----------------------------

<b>Skin</b>	Impervious gloves and clothing recommended if skin contact may occur.
-------------	---

<b>Engineering Controls</b>	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapour below occupational exposure limits suitable respiratory protection must be worn.
-----------------------------	--

<b>Other Work Practices</b>	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly
-----------------------------	---

# CRAFTSMART ULTRA GLUE

## Safety Data Sheet

before reuse.

### Personal Protective Equipment

#### MANUFACTURE, PACKAGING AND TRANSPORT:

Wear clean overalls, safety boots, general purpose gloves (PVC) and safety spectacles). Wear goggles and organic vapour respirator if at risk of exposure to vapours, fumes or spray mist. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

#### FOR CONSUMER USE:

Plastic or rubber gloves are recommended if handling often. Wash hands after use.

## 9. Physical and chemical properties

<b>Form:</b>	Liquid
<b>Appearance / Colour / Odour:</b>	High viscosity, White liquid, mild odour
<b>Boiling Point (°C):</b>	100°C (water)
<b>Solubility in water (g/L):</b>	Miscible
<b>Specific Gravity:</b>	Typically 1.12
<b>pH Value:</b>	Typically 7.0
<b>Vapour Pressure:</b>	(20°C) 3 KPa
<b>Physical State:</b>	Liquid
<b>Viscosity:</b>	Typically 250,000cps
<b>Volatile Component:</b>	<b>Water</b>

## 10. Stability and Reactivity

<b>Reactivity</b>	Stable when stored and used as directed.
<b>Conditions to Avoid</b>	Temperature extremes: Do not allow to freeze. Avoid storage at elevated temperatures.
<b>Incompatible Materials</b>	Incompatible materials: Strong acids, Alkalis, Oxidising agents.
<b>Possibility of hazardous reactions</b>	None known.
<b>Hazardous Polymerization</b>	If heated excessively, possible formation of oxides of carbon and other unidentified (possible toxic) products.

## 11. Toxicological Information

<b>Health Hazard</b>	Acute toxicity Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.
	Ingredient - Vinyl Acetate polymer emulsion - (Proprietary) Oral LD50, mg/kg - No data available Skin LD50, mg/kg - No data available Inhalation Vapour LC50, mg/L/4hr - No data available Inhalation Dust/Mist LC50, mg/L/4hr - No data available Inhalation Gas LC50, ppm - No data available

# CRAFTSMART ULTRA GLUE

## Safety Data Sheet

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

### 12. Ecological Information

**Ecological Information**                      Avoid contaminating waterways.

**Persistence and degradability**              No information available for this product.

### 13. Disposal Considerations

**Disposal Considerations**                      Refer to Waste Management Authority or dispose of material through a licensed waste contractor. Normally suitable for disposal at approved land waste site after suitable treatment.

### 14. Transport Information

**Transport Information**                      Road and Rail Transport:  
Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail;  
NON-DANGEROUS GOODS.

Marine Transport:  
Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea;  
NON-DANGEROUS GOODS.

Air Transport:  
Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

# CRAFTSMART ULTRA GLUE

## Safety Data Sheet

	<b>DOT (Domestic Surface Transportation)</b>	<b>IMO/IMDG (Ocean Transportation)</b>
<b>UN number</b>	N/A	Not regulated
<b>UN proper shipping name</b>	Not regulated	Not regulated
<b>Transport hazard class(es)</b>	DOT hazard Class: N/A	IMDG: N/A Sub Class: N/A
<b>Packing Group</b>	N/A	N/A
<b>Environmental hazards</b>	Marine Pollutant: No	
<b>IMDG</b>		

  

	<b>ICAO/IATA</b>
<b>UN number</b>	Not regulated
<b>UN proper shipping name</b>	Not regulated
<b>Transport hazard class(es)</b>	Air Class: N/A
<b>Packing Group</b>	N/A
<b>Environmental hazards</b>	Marine Pollutant: No
<b>IMDG</b>	

### 15. Regulatory Information

#### Regulatory Information

Classification: Based on available information, not classified as hazardous according to criteria of NOHSC; NON-HAZARDOUS SUBSTANCE.  
Poisons Schedule: Not listed.  
All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

### 16. Other Information

**Date of preparation or last revision of SDS** 21/9/16

**Contact Person/Point** CSA Trading Pty Ltd  
Phone: +61 3 9895 4333 (International)  
Fax: +61 3 9899 4519 (International)

Poisons Information Centre  
13 11 26 (Australia)  
0800 764 766 (New Zealand)

The information and recommendations set down here in this document are presented in good faith and to the best of CSA Trading's knowledge. CSA Trading Pty Ltd cannot predict or control all conditions of use or handling of this product and each user must review this document in the context of the conditions under which they intend to handle and use this product. It is the responsibility of the user to ensure a proper assessment has been carried out. No representations or warranties, either expressed or implied, or merchantability, fitness for purpose or any other nature are made hereunder with respect to the product to which this information refers.